



EU-TYPE EXAMINATION CERTIFICATE

Issued by Liftinstituut B.V. identification number Notified Body 0400, commissioned by Decree no. 2016-0000038870

Certificate no.

: NL16-400-1002-075-04

Revision no.: 2

Description of the product

Door locking device for automatic horizontal sliding landing

doors

Trademark, type

Tecnolama S.A, 160/10/40

Door models where this locking device can be used : Compact

Name and address of the

manufacturer

Tecnolama S.A.

Ctra. Constantí km.3 43204 Reus, Spain

A list of manufacturers is set in chapter 1 of the belonging report

Name and address of the

certificate holder

: Tecnolama S.A.

Ctra. Constantí km.3 43204 Reus, Spain

Certificate issued on the following requirements

: Lifts Directive 2014/33/EU

Certificate based on the

following standard

Parts of: EN81-1/2:1998+A3:2009, EN81-20:2014,

EN81-50:2014

Test laboratory

None

Date and number of the

laboratory report

: None

Date of EU-type examination

April – July 2016, November 2017, April 2018

Additional document with this

certificate

Report belonging to the EU-type examination certificate

no.: NL16-400-1002-075-04REV.2

Additional remarks

: See chapter 5 of the report belonging to this EU-type

examination certificate for additional conditions.

Conclusion

The safety component meets the requirements of the Lifts

Directive 2014/33/EU taking into account any additional remarks

mentioned above.

Amsterdam

Date

: 10-04-2018

Valid until

: 21-07-2021

ing. P.J. Peeters

Manager

Certification decision by





Report EU-type examination

Report belonging to EU-type examination certificate no.

Date of issue of original certificate

Concerns

No. and date of revision

Requirements

21-07-2016

Safety component

2: 10-04-2018

Lifts Directive 2014/33/EU

: NL16-400-1002-075-04

Standards: EN81-1/2:1998+A3:2009,

EN81-20:2014, EN81-50:2014

P160163-01, P170340

Project no.

General specifications

Name and address manufacturers

: Tecnolama, S.A. Ctra. Constantí km.3 43204 Reus, Spain

Doors Movement Technology S.L.

Pol. Ind. Sort dels Capellans, parcel.la 19. 43730 Falset, Spain

Tecnidoors S.p.A.

Via M. Ferrari 5 / 7 28012 Cressa (Novara) P. IVA. IT 02184530026, Italy

Enginova Sp. z o.o.

ul. Wschodnia 11 99-300 Kutno, Poland

Tecno Doors Pvt. Ltd.

Plot No. L-1

SIPCOT Ind. Park Sriperumbudur Mambakkam & Pondur "A" Village Sriperumbudur Taluk, Kancheepuram Dista

(Tamil Nadu) 602106, India

Ningbo Arttec Co. Ltd.

Ningbo European Ind. Park

First seashore road Hangzhou Bay New Zone

P.C 315336 Cixi City Zhejiang, China

Description of safety component

: Door locking device for automatic horizontal sliding landing doors

: 160/10/40

© LIFTINSTITUUT B.V.

Type

NL16-400-1002-075-04 rev. 2

Date: 10-04-2018

Page 1 of 6

No part of this work may be reproduced in any form by print, photo-print, microfilm or any other means without written permission from Liftinstituut B.V.

LIFTINSTITUUT Buikslotermeerplein 381 P.O. Box 36027

NL - 1025 XE Amsterdam NL - 1020 MA Amsterdam

Tel. +31 20 - 435 06 06 Fax +31 20 - 435 06 26 www.liftinstituut.nl

QUALITY

VAT number: contact@liftinstituut.nl NL 810399441 B01





Door models where this locking device : Compact

can be used

: Tecnolama, S.A. Test location

> Ctra. Constantí km.3 43204 Reus, Spain

May-July 2016, November 2017, April Data of examination

2018

Examination performed by : W. Visser

Description safety component

The door locking device 160/10/40 consist of two parts, the locking housing and the locking hook. The door locking device can be used on Compact doors. These are 2 panel side opening automatic horizontal sliding landing doors (T2) and 2 panel centre parting automatic horizontal sliding landing doors (C2).

The locking takes place by a hook mounted on the door panel. The housing is mounted on the door rail. Also is it possible to open the lock by means of a triangular key according to the requirements of the mentioned standards.

Different safety contacts can be used:

CONTACT #1

Manufacturer	Fermator
Contact type	TC000419 + TC000397
U _e / I _e	230 VAC / 1 A AC or 200 VDC / 1 A DC

CONTACT #2

Manufacturer	Suns
Contact type	EDC 61 + DCA F# or DCA S
U _e / I _e	230 VAC / 1 A AC or 200 VDC / 1 A DC

CONTACT #3

Manufacturer	Suns
Contact type	EDC 92 + DCA F# or DCA S
Ue / le	230 VAC / 2 A AC or 200 VDC / 2 A DC

3. **Examinations and tests**

The examination covered a check whether compliance with the Lifts Directive 2014/33/EU is met, based on the harmonized product standards EN81-1/2, EN81-20 and EN81-50.

The examination included:

- Examination of the technical file (See annex 2):
- Examination of the representative model in order to establish conformity with the technical file.

© LIFTINSTITUUT B.V.

NL16-400-1002-075-04 rev. 2

Date: 10-04-2018

Page 2 of 6

No part of this work may be reproduced in any form by print, photo-print, microfilm or any other means without written permission from Liftinstituut B.V.

LIFTINSTITUUT A N D QUALITY





- Verification of the required tests which are performed by manufacturer.
- Inspections and tests to check compliance with the requirements.

The tests which are performed are as stated in annex F1 of the EN 81-1/2 and clause 5.2 of EN81-50. These tests have been performed by the manufacturer at their test location in the Tecnolama premises Reus, Spain.

Some tests are repeated with Liftinstituut present, in order to validate the correctness of testing and test equipment.

The electrical safety contacts that can be used are also tested at Tecnolama test location or by the specific manufacturer. Test reports are verified by Liftinstituut. Some tests are repeated with Liftinstituut present, in order to validate the correctness of testing and test equipment.

Tecnolama S.A. and the other factories mentioned in chapter 1 of this report have a certificate of the quality assurance system, according Lifts Directive 2014/33/EU, annex VII module H. The scope of this certificate is designing, manufacturing, performing final inspection and tests of locking devices for landing doors. Therefore all mentioned factories can perform the tests mentioned in clause 5.2 of EN 81-50 themselves.

Results

After the final examination the product and the technical file were found in accordance with the requirements. The functional tests passed without remarks. The load tests passed without remarks.

5. Conditions

On the EU type-examination certificate the following conditions apply:

- The door lock shall be used for horizontal power operated sliding landing doors only.
- Locking distance before making contact must be at least 7 mm
- The maintenance and installation instructions shall be provided with the lift.
- The position of the unlocking triangle shall be according to clause 5.3.9.3.2 of EN81-20.
- Maximum door dimensions according to table in Annex 1c.





Conclusions 6.

Based upon the results of the EU-type examination Liftinstituut B.V. issues an EUtype examination certificate.

The EU-type examination certificate is only valid for products which are in conformity with the same specifications as the type certified product. The certificate is issued based on the requirements that are valid at the date of issue. In case of changes of the product specifications, changes in the requirements or changes in the state of the art the certificate holder shall request Liftinstituut B.V. to reconsider the validity of the certificate.

CE marking and EU Declaration of conformity 7.

Every safety component that is placed on the market in complete conformity with the examined type must be provided with a CE marking according to article 18 of the Lifts Directive 2014/33/EU under consideration that conformity with eventually other applicable Directives is proven. Also every safety component must be accompanied by an EU declaration of conformity according to annex II of the Directive in which the name, address and Notified Body identification number of Liftinstituut B.V. must be included as well as the number of the EU-type examination certificate.

An EU type-certified safety component shall be subject to the conformity assessment procedure, before these safety components may be CE-marked and may be placed on the market. This random check can be performed by any of the factories mentioned in chapter 1 of this report. The CE marking on the locking device shall be followed by the identification number of the Notified Body involved in certification of the manufacturers full quality assurance, according to Annex VII, module H.

Prepared by:

Certification decision by:

W. Visser

Product Specialist Certification

Liftinstituut B.V.

© LIFTINSTITUUT B.V.

NL16-400-1002-075-04 rev. 2

Date: 10-04-2018

Page 4 of 6


No part of this work may be reproduced in any form by print, photo-print, microfilm or any other means without written permission from Liftinstituut B.V. SAFETY A N D QUALITY B . V .






Annexes

160/10/40 T2 Annex 1a



160/10/40 C2 Annex 1b



© LIFTINSTITUUT B.V.

NL16-400-1002-075-04 rev. 2

Date: 10-04-2018

Page 5 of 6

No part of this work may be reproduced in any form by print, photo-print, microfilm or any other means without written permission from Liftinstituut B.V.

B . V 😁 LIFTINSTITUUT

SAFETY

QUALITY

VAT number:

MANAGEMENT

A N D





Annex 1c Door dimensions

Туре	Models	Description	Subtype	Clear opening	Clear Height
160/10/40			PRC2	600-1100	2000-2500
100/10/40		-	PRD2 / PRI2	600-1100	2000-2500

Documents of the Technical File which were subject of the Annex 2 examination

title	document number	date
Manual 160/10/40 C2	MMCO000C2000DM	03-2016
Manual 160/10/40 T2	MMCO000T2000DM	03-2016
C2	Drw. 011161	10-04-2012
T2	Drw. 011689	10-04-2012
Test report	09.112.01-0.0	27-10-2009
Summary test report	14CHFDMT01	17-02-2015
SUNS EDC series	Version 2017	13-11-2017

Annex 3 Reviewed deviations from the standards

EN xx-x par.	Requirement	Accepted design
X.X.X		

Annex 4 Revision overview

REVISIONS OF THE CERTIFICATE AND THE REPORT

Rev.:	Date	Summary of revision
-	21-07-2016	Original
1	14-11-2017	Added SUNS EDC-92 safety contact
2	10-04-2018	Change in address Manufacturer

© LIFTINSTITUUT B.V. No part of this work may be reproduced in any form by print, photo-print, microfilm or any other means without written permission from Liftinstituut B.V.

NL16-400-1002-075-04 rev. 2

Date: 10-04-2018

Page 6 of 6

SAFETY AND QUALITY LIFTINSTITUUT B.V.